

Package: greenbook (via r-universe)

June 3, 2026

Title HM Treasury Green Book Cost-Benefit Analysis Primitives

Version 0.1.0

Description Implements cost-benefit analysis primitives from HM Treasury Green Book guidance (HM Treasury, 2022, 2026): the kinked Social Time Preference Rate (STPR), discount factors, net present value (NPV), equivalent annual cost, and real-terms rebasing using the GDP deflator. Designed for UK central government appraisal and evaluation. Bundled parameter tables carry vintage metadata for reproducibility.

Depends R (>= 4.1.0)

License MIT + file LICENSE

Encoding UTF-8

Language en-US

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

Imports cli (>= 3.6.0), stats, utils

Suggests testthat (>= 3.0.0), knitr, rmarkdown, inflateR, openxlsx, officer, flextable

Config/testthat/edition 3

URL <https://github.com/charlescoverdale/greenbook>

BugReports <https://github.com/charlescoverdale/greenbook/issues>

VignetteBuilder knitr

Repository <https://charlescoverdale.r-universe.dev>

Date/Publication 2026-05-04 19:12:06 UTC

RemoteUrl <https://github.com/charlescoverdale/greenbook>

RemoteRef HEAD

RemoteSha e0a6ac557b0cee3f380c245c5e202d678d40829f

Contents

gb_apply_ob	2
gb_appraise	3
gb_carbon_npv	5
gb_carbon_value	6
gb_categories	7
gb_compare	8
gb_cost_per_unit	9
gb_data_versions	9
gb_deflator	10
gb_discount	11
gb_discount_factor	12
gb_dist_weight	13
gb_dist_weighted_npv	14
gb_eanc	15
gb_economic_case	16
gb_headline	17
gb_metb	18
gb_npv	19
gb_optimism_bias	20
gb_place_based	21
gb_progression	22
gb_qaly	23
gb_real	24
gb_rebase	25
gb_risk_register	26
gb_schedule_table	27
gb_sensitivity_ob	27
gb_stpr	28
gb_to_excel	29
gb_to_latex	30
gb_to_word	31
gb_validate	32
gb_vpf	33
gb_wellby	34

Index

36

gb_apply_ob

Apply an optimism bias uplift to a cost stream

Description

Applies an OB uplift, optionally with a mitigation factor that represents progress on risk identification and management: $\text{cost_with_ob} = \text{cost_baseline} * (1 + \text{ob_pct} * (1 - \text{mitigation}))$.

Usage

```
gb_apply_ob(values, ob_pct, mitigation = 0)
```

Arguments

values	Numeric vector of baseline cost values.
ob_pct	Numeric scalar. Optimism bias percentage as a decimal. Pass <code>gb_optimism_bias(category)</code> to use the published upper bound.
mitigation	Numeric scalar in $[0, 1]$. Fraction of the upper bound that has been mitigated through project definition and risk management. Default 0 (no mitigation; full upper bound applied).

Value

A numeric vector the same length as `values`, with the uplift applied.

References

HM Treasury (2003). Supplementary Green Book Guidance: Optimism Bias, Annex A2 on mitigation factors.

See Also

[gb_optimism_bias\(\)](#), [gb_appraise\(\)](#).

Other optimism bias: [gb_categories\(\)](#), [gb_optimism_bias\(\)](#)

Examples

```
costs <- c(100, 50, 50)
ob <- gb_optimism_bias("non_standard_buildings")
gb_apply_ob(costs, ob)
gb_apply_ob(costs, ob, mitigation = 0.5)
```

gb_appraise

Full Green Book appraisal in one call

Description

Runs an end-to-end appraisal: optionally applies optimism bias to costs, optionally applies METB, computes NPV under the kinked STPR, and returns BCR alongside provenance.

Usage

```
gb_appraise(
  costs,
  benefits,
  years = NULL,
  schedule = "standard",
  ob = NULL,
  ob_dimension = "capex",
  ob_mitigation = 0,
  metb = FALSE,
  metb_rate = 0.2,
  base_year = NULL,
  vintage = "2022"
)
```

Arguments

costs	Numeric vector of cost values per period (real terms, base year fixed). Sign convention: enter as positive numbers; <code>gb_appraise()</code> handles the netting.
benefits	Numeric vector of benefit values per period. Same length as costs.
years	Optional integer vector of years. Defaults to 0: $(\text{length}(\text{costs}) - 1)$.
schedule	One of "standard", "health", "catastrophic".
ob	Optional. Either a category name (character) or a numeric percentage. If supplied, optimism bias uplift is applied to costs.
ob_dimension	One of "capex" (default) or "duration". Only used when ob is a category name.
ob_mitigation	Numeric in $[\text{0}, \text{1}]$. Mitigation fraction.
metb	Logical. If TRUE, applies METB uplift to costs.
metb_rate	Numeric. METB rate when metb = TRUE. Default 0.20 per Green Book 2022.
base_year	Optional integer base year.
vintage	Methodology vintage label. Default "2022".

Value

A `gb_appraisal` object with extra fields `bcr`, `pv_costs`, `pv_benefits`, `costs`, `benefits`, `optimism_bias`, `metb_applied`.

References

HM Treasury (2026). The Green Book: Central Government Guidance on Appraisal and Evaluation.

See Also

[gb_npv\(\)](#), [gb_optimism_bias\(\)](#), [gb_metb\(\)](#), [gb_dist_weighted_npv\(\)](#).

Other appraisal: [gb_compare\(\)](#), [gb_economic_case\(\)](#), [gb_place_based\(\)](#), [gb_progression\(\)](#), [gb_risk_register\(\)](#), [gb_sensitivity_ob\(\)](#), [gb_validate\(\)](#)

Examples

```
costs <- c(100, 50, 50, 0, 0, 0, 0, 0, 0, 0)
benefits <- c(0, 0, 0, 30, 30, 30, 30, 30, 30, 30)
app <- gb_appraise(costs, benefits, ob = "non_standard_buildings",
                  ob_mitigation = 0.5, base_year = 2024)

app
```

gb_carbon_npv

Net present value of an emissions path

Description

Multiplies an emissions vector (tCO₂e per year) by the DESNZ carbon value at each year, then discounts under the kinked STPR. Returns a gb_appraisal object.

Usage

```
gb_carbon_npv(
  emissions,
  years,
  scenario = "central",
  schedule = "standard",
  base_year = NULL,
  sign = "cost"
)
```

Arguments

emissions	Numeric vector of emissions per year, in tCO ₂ e (positive = emitted, negative = avoided / abated).
years	Integer vector of years matching emissions.
scenario	One of "low", "central" (default), "high".
schedule	One of "standard" (default), "health", "catastrophic".
base_year	Optional integer base year for monetary values (e.g. 2024). If supplied, carbon values are rebased via gb_deflator().
sign	Character. "cost" (default) treats positive emissions as a cost (negative cash-flow); "benefit" treats positive as avoided emissions (positive cashflow).

Value

A gb_appraisal object.

References

DESNZ (2023). Valuation of Energy Use and Greenhouse Gas Emissions for Appraisal (November 2023). HM Treasury (2022). The Green Book, on environmental valuation.

See Also

[gb_carbon_value\(\)](#), [gb_npv\(\)](#).

Other carbon: [gb_carbon_value\(\)](#)

Examples

```
# 100 tCO2e emitted each year from 2024 to 2030
emissions <- rep(100, 7)
years <- 2024:2030
gb_carbon_npv(emissions, years, base_year = 2024)
```

gb_carbon_value	<i>DESNZ carbon value for appraisal</i>
-----------------	---

Description

Returns the DESNZ Carbon Value for Appraisal in GBP per tonne of CO₂-equivalent at the published 2022 base-year prices, from the November 2023 valuation. Three scenarios: low, central, high.

Usage

```
gb_carbon_value(year, scenario = "central", base_year = NULL)
```

Arguments

year	Integer scalar or vector. Year of the emission. Must be within the bundled DESNZ range.
scenario	One of "low", "central" (default), "high".
base_year	Optional integer to rebase the value via gb_deflator() . If NULL, the published 2022 base year is used.

Details

DESNZ moved to a single consolidated series in November 2023, superseding the historical traded / non-traded split. Values are in 2022 prices. The November 2023 publication covers 2010 to 2100; the bundled subset is 2020 to 2050.

Value

Numeric vector of GBP per tCO₂e values.

References

DESNZ (2023). Valuation of Energy Use and Greenhouse Gas Emissions for Appraisal (November 2023). Data tables 1-19, Table 3.

See Also

[gb_carbon_npv\(\)](#).

Other carbon: [gb_carbon_npv\(\)](#)

Examples

```
gb_carbon_value(2024)
gb_carbon_value(2020:2030)
gb_carbon_value(2030, scenario = "high")
```

gb_categories

Available optimism bias categories

Description

Returns the bundled OB category lookup as a data frame.

Usage

```
gb_categories()
```

Value

A data frame with columns category, description, capex_upper, duration_upper.

References

HM Treasury (2003). Supplementary Green Book Guidance: Optimism Bias.

See Also

[gb_optimism_bias\(\)](#).

Other optimism bias: [gb_apply_ob\(\)](#), [gb_optimism_bias\(\)](#)

Examples

```
gb_categories()
```

 gb_compare

Compare multiple appraisal options

Description

Builds a side-by-side comparison of two or more `gb_appraisal` objects. Returns a `gb_comparison` with a ranked summary table and the preferred option under both NPV and BCR criteria.

Usage

```
gb_compare(..., by = "npv")
```

Arguments

`...` `gb_appraisal` objects to compare. Pass as named arguments to control labels (e.g. `do_minimum = app1`).

`by` Character. Ranking criterion: one of "npv" (default) or "bcr".

Details

Every Green Book economic case must compare at least Do Minimum against one or more Do Something options. `gb_compare()` standardises the comparison: NPV, BCR, EANC, PV costs, PV benefits, and rank under both NPV and BCR. The `summary()` method renders a one-page table suitable for a Five Case Model economic case.

Value

A `gb_comparison` object: a list with class `c("gb_comparison", "list")` and elements `options`, `summary_table`, `preferred_npv`, `preferred_bcr`, `by`.

References

HM Treasury (2022). The Green Book: Central Government Guidance on Appraisal and Evaluation, chapter on options analysis.

See Also

[gb_appraise\(\)](#), [gb_economic_case\(\)](#).

Other appraisal: [gb_appraise\(\)](#), [gb_economic_case\(\)](#), [gb_place_based\(\)](#), [gb_progression\(\)](#), [gb_risk_register\(\)](#), [gb_sensitivity_ob\(\)](#), [gb_validate\(\)](#)

Examples

```
do_minimum <- gb_appraise(c(50, 0, 0, 0, 0), c(0, 20, 20, 20, 20))
do_max <- gb_appraise(c(150, 0, 0, 0, 0), c(0, 50, 50, 50, 50))
gb_compare(do_minimum = do_minimum, do_max = do_max)
```

gb_cost_per_unit	<i>Cost per unit delivered</i>
------------------	--------------------------------

Description

Computes a cost-effectiveness ratio: total real cost (PV) per unit of monetised or non-monetised output. Standard cross-scheme comparator used by HM Treasury reviewers.

Usage

```
gb_cost_per_unit(appraisal, units_delivered, unit = "unit")
```

Arguments

appraisal	A gb_appraisal object.
units_delivered	Numeric scalar. The total quantity of the output being delivered (e.g. QALYs gained, tCO2e abated, WELLBYs added, jobs created).
unit	Character. Label for the unit (used in print).

Value

Numeric scalar: PV cost / units delivered, in GBP per unit.

See Also

[gb_appraise\(\)](#).

Other reporting: [gb_headline\(\)](#), [gb_to_excel\(\)](#), [gb_to_latex\(\)](#), [gb_to_word\(\)](#)

Examples

```
app <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 0, 0, 0, 0))
gb_cost_per_unit(app, units_delivered = 50, unit = "QALY")
```

gb_data_versions	<i>Vintage of bundled parameter tables</i>
------------------	--

Description

Returns a data frame describing the source and last-updated date of every CSV bundled in inst/extdata/. Critical for reproducibility: every appraisal can record which vintage of Green Book parameters it used.

Usage

```
gb_data_versions()
```

Value

A data frame with columns dataset, source, last_updated, notes.

See Also

[gb_schedule_table\(\)](#).

Other lookups: [gb_schedule_table\(\)](#)

Examples

```
gb_data_versions()
```

gb_deflator	<i>GDP deflator factor between two years</i>
-------------	--

Description

Returns the multiplicative factor to convert a value expressed in year from prices to year to prices, using the bundled UK GDP deflator at market prices (ONS series). Multiply a nominal value from year from by this factor to express it in year to.

Usage

```
gb_deflator(from, to, source = "bundled")
```

Arguments

from	Integer year of the input value.
to	Integer year to express the value in.
source	Character. "bundled" uses the CSV shipped in inst/extdata/. Future versions will accept "inflateR" to use the live ONS series via the inflateR package.

Value

A numeric scalar: the deflator factor.

References

Office for National Statistics. GDP deflator at market prices (series YBGB), updated quarterly. HM Treasury publishes the deflator series alongside the OBR forecast.

See Also

[gb_real\(\)](#), [gb_rebase\(\)](#).

Other deflator: [gb_real\(\)](#), [gb_rebase\(\)](#)

Examples

```
gb_deflator(from = 2020, to = 2024)
```

gb_discount	<i>Apply discount factors to a stream</i>
-------------	---

Description

Apply discount factors to a stream

Usage

```
gb_discount(values, years = seq_along(values) - 1L, schedule = "standard")
```

Arguments

values	Numeric vector of cashflow values (real terms, base year fixed).
years	Integer vector of years from the base year. Defaults to 0, 1, 2,
schedule	One of "standard", "health", "catastrophic".

Value

A numeric vector of discounted (present-value) cashflows.

References

HM Treasury (2022). The Green Book, Annex A6.

See Also

[gb_discount_factor\(\)](#), [gb_npv\(\)](#).

Other discounting: [gb_discount_factor\(\)](#), [gb_eanc\(\)](#), [gb_npv\(\)](#), [gb_stpr\(\)](#)

Examples

```
gb_discount(c(0, 100, 100, 100))
```

gb_discount_factor *Discount factor under the kinked STPR*

Description

Returns the present-value discount factor for each year, applying the kinked Social Time Preference Rate schedule annually.

Usage

```
gb_discount_factor(years, schedule = "standard", base_year = 0L)
```

Arguments

years Integer vector of years from the base year. Must be \geq base_year.
 schedule One of "standard", "health", "catastrophic".
 base_year Integer base year offset. Default 0.

Details

The discount factor at year t is computed as the reciprocal of the cumulative product of $(1 + r_k)$ for periods $k = 1, \dots, t$, where r_k is the STPR for year k . This handles the kinked schedule correctly across band transitions (e.g. year 30 to year 31). Within a single band, the closed-form annuity factor $(1 - (1 + r)^{-n}) / r$ agrees with $\text{sum}(\text{gb_discount_factor}(1:n))$ to machine precision.

Value

A numeric vector of discount factors. 1 for years \leq base_year.

References

HM Treasury (2022). The Green Book, Annex A6.
 HM Treasury (2003). Green Book Supplementary Guidance: Discounting.

See Also

[gb_stpr\(\)](#), [gb_npv\(\)](#), [gb_eanc\(\)](#).
 Other discounting: [gb_discount\(\)](#), [gb_eanc\(\)](#), [gb_npv\(\)](#), [gb_stpr\(\)](#)

Examples

```
gb_discount_factor(0:5)
gb_discount_factor(c(0, 30, 31, 75, 76))
```

gb_dist_weight	<i>Distributional weight for a recipient income</i>
----------------	---

Description

Returns the Green Book distributional weight applied to net benefits accruing to a recipient at income `income`, relative to a reference income (median by default), under iso-elastic utility:

Usage

```
gb_dist_weight(income, eta = 1.3, reference = "median", income_data = NULL)
```

Arguments

<code>income</code>	Numeric vector of recipient incomes (positive). Equivalised household disposable income is the conventional measure.
<code>eta</code>	Numeric scalar. Income elasticity of marginal utility of income. Default 1.3.
<code>reference</code>	Either "median" (default; use median of <code>income</code> or <code>income_data</code> if supplied) or a numeric scalar (use that income as reference).
<code>income_data</code>	Optional numeric vector. Reference income distribution for computing the median. Use, e.g., the ONS household disposable income distribution. If NULL (default), the median of <code>income</code> is used.

Details

$$w_i = (y_{ref}/y_i)^\eta$$

Default `eta = 1.3` per HM Treasury Green Book Annex A3. Higher `eta` places greater weight on lower-income recipients; sensitivity tests at `eta = 0.8` and `eta = 2.0` are conventional.

Value

A numeric vector of weights, same length as `income`.

References

HM Treasury (2022). The Green Book, Annex A3 on distributional analysis.

Acland, D. and Greenberg, D.H. (2024). The Elasticity of Marginal Utility of Income for Distributional Weighting and Social Discounting: A Meta-Analysis. *Journal of Benefit-Cost Analysis*.

See Also

[gb_dist_weighted_npv\(\)](#).

Other distributional: [gb_dist_weighted_npv\(\)](#)

Examples

```
# Weights across deciles of a stylised income distribution
income_deciles <- seq(10000, 100000, length.out = 10)
gb_dist_weight(income_deciles)
```

gb_dist_weighted_npv *Distributionally-weighted net present value*

Description

Applies recipient-income distributional weights to a cashflow before discounting under the STPR.

Usage

```
gb_dist_weighted_npv(
  cashflow,
  recipient_income,
  eta = 1.3,
  schedule = "standard",
  reference = "median",
  income_data = NULL,
  vintage = "2022",
  base_year = NULL
)
```

Arguments

cashflow	Numeric vector of net cashflows (per period).
recipient_income	Numeric vector. The income of the recipient (or representative recipient cell) in each period. Must have the same length as cashflow.
eta	Numeric scalar. Default 1.3.
schedule	One of "standard", "health", "catastrophic".
reference	Reference income strategy passed to gb_dist_weight().
income_data	Optional reference income distribution.
vintage	Methodology vintage label. Default "2022".
base_year	Optional integer base year stored on the result.

Value

A gb_appraisal object with extra fields weights, eta, and unweighted_npv.

References

HM Treasury (2022). The Green Book, Annex A3 on distributional analysis.

See Also

[gb_dist_weight\(\)](#), [gb_npv\(\)](#).

Other distributional: [gb_dist_weight\(\)](#)

Examples

```
# 5-year benefit stream of GBP 30 going to a low-decile recipient
gb_dist_weighted_npv(
  cashflow = rep(30, 5),
  recipient_income = rep(15000, 5),
  income_data = seq(10000, 100000, length.out = 10)
)
```

gb_eanc

Equivalent annual net cost (or benefit)

Description

Converts a present value to an annualised equivalent over a fixed horizon under the STPR. Used to compare options of different durations.

Usage

```
gb_eanc(npv, years, schedule = "standard")
```

Arguments

npv	Either a numeric scalar NPV, or a <code>gb_appraisal</code> object.
years	Project horizon in years. If npv is a <code>gb_appraisal</code> and years is missing, <code>length(npv\$cashflow) - 1L</code> is used.
schedule	One of "standard", "health", "catastrophic".

Value

A numeric scalar: the equivalent annual amount in real terms, base year aligned with the input.

References

HM Treasury (2022). The Green Book, Annex A on appraisal: equivalent annual cost.

See Also

[gb_npv\(\)](#), [gb_appraise\(\)](#).

Other discounting: [gb_discount\(\)](#), [gb_discount_factor\(\)](#), [gb_npv\(\)](#), [gb_stpr\(\)](#)

Examples

```
app <- gb_npv(c(-100, 30, 30, 30, 30, 30))
gb_eanc(app)
```

gb_economic_case	<i>Render an appraisal as a Five Case Model economic case</i>
------------------	---

Description

Wraps a `gb_appraisal` with the structural sections HMT business case guidance expects in the Economic Case (the second of the five cases in the Five Case Model: Strategic, Economic, Commercial, Financial, Management).

Usage

```
gb_economic_case(
  appraisal,
  critical_success_factors = NULL,
  options_considered = NULL,
  non_monetised_impacts = NULL,
  recommendation = NULL,
  vfm_statement = NULL
)
```

Arguments

<code>appraisal</code>	A <code>gb_appraisal</code> (typically from <code>gb_appraise()</code> or <code>gb_compare()</code>).
<code>critical_success_factors</code>	Character vector of CSFs.
<code>options_considered</code>	Character vector of long-listed option names.
<code>non_monetised_impacts</code>	Optional data frame with columns <code>impact</code> , <code>direction</code> ("+"/"-"), <code>materiality</code> ("H"/"M"/"L"), <code>notes</code> .
<code>recommendation</code>	Optional character: the preferred option and rationale.
<code>vfm_statement</code>	Optional character: the value-for-money judgment.

Details

The Five Case Model is HM Treasury's standard structure for business cases. The Economic Case is the part where Green Book appraisal sits: monetised costs and benefits, non-monetised impacts, switching values, sensitivity tests, value for money judgment, recommended option. `gb_economic_case` wraps the appraisal with the sections a reviewer expects to see.

Value

A `gb_economic_case` object.

References

HM Treasury (2018). Guide to Developing the Project Business Case (Five Case Model).

See Also

[gb_appraise\(\)](#), [gb_compare\(\)](#).

Other appraisal: [gb_appraise\(\)](#), [gb_compare\(\)](#), [gb_place_based\(\)](#), [gb_progression\(\)](#), [gb_risk_register\(\)](#), [gb_sensitivity_ob\(\)](#), [gb_validate\(\)](#)

Examples

```
app <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 30, 30, 30, 30))
gb_economic_case(
  app,
  critical_success_factors = c("Strategic fit", "Value for money", "Achievability"),
  options_considered = c("Do nothing", "Do minimum", "Do maximum"),
  recommendation = "Do maximum: positive NPV and BCR > 1.5"
)
```

gb_headline

One-page headline summary of an appraisal

Description

Returns the headline numbers a Green Book reviewer or steering committee expects: NPV, BCR, EANC, payback period, optimism bias applied, vintage. Suitable for a slide or executive summary.

Usage

```
gb_headline(appraisal)
```

Arguments

appraisal A gb_appraisal object.

Value

A gb_headline object with elements npv, bcr, eanc, payback_year, optimism_bias, metb_applied, vintage, base_year, horizon.

See Also

[gb_appraise\(\)](#), [gb_to_latex\(\)](#), [gb_to_excel\(\)](#).

Other reporting: [gb_cost_per_unit\(\)](#), [gb_to_excel\(\)](#), [gb_to_latex\(\)](#), [gb_to_word\(\)](#)

Examples

```
app <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 30, 30, 30, 30))
gb_headline(app)
```

`gb_metb`*Apply Marginal Excess Tax Burden to public expenditure*

Description

Uplifts net public expenditure (or revenue raised) to reflect the welfare cost of distortionary taxation. Default rate is 20 percent per Green Book 2022 / 2026. The historic value (2003) was 30 percent.

Usage

```
gb_metb(values, rate = 0.2, vintage = NULL)
```

Arguments

<code>values</code>	Numeric vector of expenditure values.
<code>rate</code>	Numeric scalar. METB rate as a decimal. Default 0.20.
<code>vintage</code>	Optional character. One of "2003", "2018", "2022", "2026". If supplied, overrides rate with the bundled value for that vintage.

Details

The METB captures the welfare loss arising from raising one extra GBP of revenue through the tax system, beyond the GBP itself. Estimates depend on the elasticity of taxable income, the marginal tax rate, and the distortionary margin. The Green Book reduced the headline value from 30 percent (2003) to 20 percent (2018) in light of post-2008 evidence.

Value

A numeric vector the same length as `values`, with the METB uplift applied.

References

HM Treasury (2022). The Green Book: Central Government Guidance on Appraisal and Evaluation, chapter on real terms and the marginal excess tax burden.

See Also

[gb_appraise\(\)](#).

Examples

```
gb_metb(c(100, 200))
gb_metb(c(100, 200), vintage = "2003")
```

gb_npv	<i>Net present value</i>
--------	--------------------------

Description

Computes the net present value of a cashflow stream under the Green Book STPR. Returns a `gb_appraisal` object carrying the NPV, the input cashflow, the discount factors, the schedule used, and methodology vintage.

Usage

```
gb_npv(
  cashflow,
  years = NULL,
  schedule = "standard",
  base_year = NULL,
  vintage = "2022"
)
```

Arguments

cashflow	Numeric vector of net cashflows in real terms (one value per year).
years	Integer vector of years matching cashflow. Defaults to 0, 1, ..., length(cashflow) - 1.
schedule	One of "standard", "health", "catastrophic".
base_year	Optional integer recording the price base year for the cashflow (e.g. 2024). Stored on the returned object.
vintage	Character. Methodology vintage label. Defaults to "2022".

Value

A `gb_appraisal` object: a list with class `c("gb_appraisal", "list")` and elements `npv`, `cashflow`, `years`, `pv`, `schedule`, `base_year`, `vintage`.

References

HM Treasury (2022). The Green Book, chapter on appraisal and the Annex on discounting.

See Also

[gb_appraise\(\)](#), [gb_eanc\(\)](#), [gb_dist_weighted_npv\(\)](#), [gb_carbon_npv\(\)](#).

Other discounting: [gb_discount\(\)](#), [gb_discount_factor\(\)](#), [gb_eanc\(\)](#), [gb_stpr\(\)](#)

Examples

```
costs <- c(100, 50, 50, 0, 0, 0, 0, 0, 0, 0)
benefits <- c(0, 0, 0, 30, 30, 30, 30, 30, 30, 30)
gb_npv(benefits - costs)
```

gb_optimism_bias	<i>Optimism bias upper bound for a project category</i>
------------------	---

Description

Returns the indicative upper-bound optimism bias percentage from HM Treasury Supplementary Green Book Guidance: Optimism Bias (Mott MacDonald 2002, Annex A1). The upper bound is the starting value for ex-ante uplift; mitigation factors reduce it as project definition matures through SOC, OBC, and FBC stages.

Usage

```
gb_optimism_bias(category, dimension = "capex")
```

Arguments

category	Character. One of "standard_buildings", "non_standard_buildings", "standard_civil_engineering", "non_standard_civil_engineering", "equipment_development", "outsourcing".
dimension	Character. "capex" (default) for capital expenditure uplift, or "duration" for works-duration uplift.

Value

Numeric scalar: the upper-bound percentage as a decimal (e.g. 0.51 for 51 percent).

References

HM Treasury (2003). Supplementary Green Book Guidance: Optimism Bias.

Mott MacDonald (2002). Review of Large Public Procurement in the UK. Report commissioned by HM Treasury.

See Also

[gb_apply_ob\(\)](#), [gb_categories\(\)](#), [gb_appraise\(\)](#).

Other optimism bias: [gb_apply_ob\(\)](#), [gb_categories\(\)](#)

Examples

```
gb_optimism_bias("non_standard_buildings")
gb_optimism_bias("standard_civil_engineering", dimension = "duration")
```

gb_place_based	<i>Aggregate sub-projects into a place-based business case</i>
----------------	--

Description

Combines multiple `gb_appraisal` objects into a single portfolio appraisal. Introduced in the 2026 Green Book as a recognised business case structure for places (city deals, devolved settlements, regional packages) where individual projects are interdependent.

Usage

```
gb_place_based(..., place = NULL, synergy = 0)
```

Arguments

...	<code>gb_appraisal</code> objects representing sub-projects. Pass as named arguments to label each.
place	Character scalar. Place name (e.g. "Greater Manchester"). Optional.
synergy	Numeric scalar in $[-0.5, 0.5]$. Optional uplift applied to aggregate benefits to capture cross-project synergy or drag. Default 0 (additive aggregation).

Value

A `gb_place_based` object with elements `projects`, `place`, `aggregate_npv`, `aggregate_bcr`, `per_project`, `synergy`.

References

HM Treasury (2026). The Green Book, on place-based business cases.

See Also

[gb_appraise\(\)](#), [gb_compare\(\)](#).

Other appraisal: [gb_appraise\(\)](#), [gb_compare\(\)](#), [gb_economic_case\(\)](#), [gb_progression\(\)](#), [gb_risk_register\(\)](#), [gb_sensitivity_ob\(\)](#), [gb_validate\(\)](#)

Examples

```
transport <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 30, 30, 30, 30))
housing <- gb_appraise(c(50, 0, 0, 0, 0), c(0, 20, 20, 20, 20))
skills <- gb_appraise(c(20, 20, 0, 0, 0), c(0, 0, 15, 15, 15))
gb_place_based(transport = transport, housing = housing,
               skills = skills, place = "Example City")
```

gb_progression	<i>Track an appraisal across SOC, OBC, and FBC stages</i>
----------------	---

Description

Builds a `gb_progression` showing how NPV, BCR, and key parameters evolve across the three Green Book business case stages: Strategic Outline Case (SOC), Outline Business Case (OBC), and Full Business Case (FBC). Useful for both authoring a multi-stage appraisal and reviewing how figures have moved between gateway approvals.

Usage

```
gb_progression(soc, obc = NULL, fbc = NULL)
```

Arguments

soc	Strategic Outline Case <code>gb_appraisal</code> .
obc	Outline Business Case <code>gb_appraisal</code> . Optional.
fbc	Full Business Case <code>gb_appraisal</code> . Optional.

Details

At each stage, optimism bias mitigation typically increases as project definition firms up. Cost estimates converge towards base-cost reality; benefit estimates may also shift as evidence accumulates. The evolution table makes the trajectory visible.

Value

A `gb_progression` object with elements `stages`, `evolution` (data frame), `delta_npv`, `delta_costs`.

References

HM Treasury (2018). Guide to Developing the Project Business Case (Green Book supplementary guidance).

See Also

[gb_appraise\(\)](#).

Other appraisal: [gb_appraise\(\)](#), [gb_compare\(\)](#), [gb_economic_case\(\)](#), [gb_place_based\(\)](#), [gb_risk_register\(\)](#), [gb_sensitivity_ob\(\)](#), [gb_validate\(\)](#)

Examples

```
soc <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 30, 30, 30, 30),
                 ob = "non_standard_buildings", ob_mitigation = 0)
obc <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 30, 30, 30, 30),
                 ob = "non_standard_buildings", ob_mitigation = 0.5)
fbc <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 30, 30, 30, 30),
                 ob = "non_standard_buildings", ob_mitigation = 0.9)
gb_progression(soc, obc, fbc)
```

gb_qaly

*Value of a Quality-Adjusted Life Year***Description**

Returns the QALY value in GBP at the published base year. The DHSC supplementary Green Book guidance specifies GBP 70,000 per QALY in 2024 prices for cross-government appraisal. NICE Health Technology Assessment uses lower thresholds (GBP 20,000 to GBP 30,000 per QALY).

Usage

```
gb_qaly(qalys, scenario = "dhsc", base_year = NULL)
```

Arguments

qalys	Numeric scalar or vector. Quality-Adjusted Life Years gained or lost.
scenario	One of "dhsc" (default, GBP 70k 2024 prices, cross-government), "nice_lower" (GBP 20k), "nice_upper" (GBP 30k).
base_year	Optional integer base year. If NULL, the published base year for the chosen scenario is used.

Value

A numeric scalar or vector: monetised value in GBP.

References

DHSC Supplementary Green Book Guidance on health appraisal. NICE methods guides for technology appraisal.

See Also

[gb_wellby\(\)](#), [gb_vpf\(\)](#).
Other valuation: [gb_vpf\(\)](#), [gb_wellby\(\)](#)

Examples

```
gb_qaly(1)
gb_qaly(1, scenario = "nice_upper")
```

gb_real *Convert nominal values to real*

Description

Converts nominal values at year-of-occurrence prices to real values at a chosen base year, using the bundled GDP deflator.

Usage

```
gb_real(nominal_values, year, base_year, source = "bundled")
```

Arguments

`nominal_values` Numeric vector of nominal values.

`year` Integer scalar or vector matching `nominal_values`, giving the year at which each value is expressed in nominal terms.

`base_year` Integer scalar: the base year to convert to.

`source` Character. "bundled" only in v0.1.0.

Value

A numeric vector of real values, in `base_year` prices.

References

HM Treasury (2022). The Green Book, chapter on real terms and price-base alignment.

See Also

[gb_deflator\(\)](#), [gb_rebase\(\)](#).

Other deflator: [gb_deflator\(\)](#), [gb_rebase\(\)](#)

Examples

```
gb_real(nominal_values = c(100, 110, 120),
        year = 2020:2022,
        base_year = 2024)
```

gb_rebase	<i>Rebase a real-terms series to a different base year</i>
-----------	--

Description

Multiplies values currently in from-year real prices by the deflator factor to express them in to-year real prices.

Usage

```
gb_rebase(values, from, to)
```

Arguments

values	Numeric vector of real-terms values.
from	Integer base year of the input series.
to	Integer target base year.

Value

A numeric vector of values in to-year real prices.

References

HM Treasury (2022). The Green Book, chapter on real terms and price-base alignment.

See Also

[gb_deflator\(\)](#), [gb_real\(\)](#).

Other deflator: [gb_deflator\(\)](#), [gb_real\(\)](#)

Examples

```
gb_rebase(c(100, 200, 300), from = 2020, to = 2024)
```

gb_risk_register *Build a risk register with monetised exposure*

Description

Creates a `gb_risk_register` from a data frame of project risks. Computes expected loss per risk (probability times impact) and aggregate exposure. Optionally applied to a `gb_appraisal` to produce a risk-adjusted NPV.

Usage

```
gb_risk_register(risks, appraisal = NULL)
```

Arguments

<code>risks</code>	A data frame with columns <code>id</code> , <code>description</code> , <code>probability</code> (numeric in $[0, 1]$), <code>impact_gbp</code> (numeric). Optional columns: <code>category</code> , <code>mitigation</code> (character).
<code>appraisal</code>	Optional <code>gb_appraisal</code> . If supplied, returns a risk-adjusted NPV: <code>appraisal\$npv - sum(probability * impact)</code> .

Details

HM Treasury business case guidance requires a risk register with monetised exposure for the OBC and FBC stages. `gb_risk_register` standardises the structure: every risk has an `id`, a probability, a monetary impact, and an expected loss. Aggregation is by category if the column is present.

Value

A `gb_risk_register` object.

References

HM Treasury (2018). The Orange Book: Management of Risk - Principles and Concepts.

See Also

[gb_appraise\(\)](#).

Other appraisal: [gb_appraise\(\)](#), [gb_compare\(\)](#), [gb_economic_case\(\)](#), [gb_place_based\(\)](#), [gb_progression\(\)](#), [gb_sensitivity_ob\(\)](#), [gb_validate\(\)](#)

Examples

```
risks <- data.frame(
  id = c("R1", "R2", "R3"),
  description = c("Planning delay", "Cost overrun", "Lower demand"),
  category = c("schedule", "cost", "demand"),
  probability = c(0.30, 0.50, 0.20),
  impact_gbp = c(2e6, 5e6, 10e6)
```

```
)
gb_risk_register(risks)
```

gb_schedule_table *Tibble of the STPR schedule*

Description

Returns the bundled STPR kinked schedule as a data frame: one row per band, columns year_from, year_to, and (depending on schedule) either all three rate variants or just the requested one.

Usage

```
gb_schedule_table(schedule = NULL)
```

Arguments

schedule Optional. One of "standard", "health", "catastrophic". If NULL (default), all three columns are returned.

Value

A data frame.

See Also

[gb_stpr\(\)](#), [gb_data_versions\(\)](#).

Other lookups: [gb_data_versions\(\)](#)

Examples

```
gb_schedule_table()
gb_schedule_table("health")
```

gb_sensitivity_ob *Optimism bias sensitivity sweep*

Description

Recomputes an appraisal across a vector of optimism bias mitigation factors. Convenience wrapper for the standard HMT OB sensitivity test required at SOC, OBC, and FBC stages.

Usage

```
gb_sensitivity_ob(
  costs,
  benefits,
  ob,
  mitigations = c(0, 0.25, 0.5, 0.75, 1),
  ...
)
```

Arguments

costs	Numeric vector of cost values.
benefits	Numeric vector of benefit values.
ob	Either a category name or a numeric OB percentage.
mitigations	Numeric vector in $[0, 1]$. Mitigation fractions to test. Default $c(0, 0.25, 0.5, 0.75, 1.0)$.
...	Passed to <code>gb_appraise()</code> .

Value

A `gb_sensitivity_ob` object: a list with elements `mitigations`, `npv`, `bcr`, `costs_pv`.

See Also

[gb_appraise\(\)](#), [gb_apply_ob\(\)](#).

Other appraisal: [gb_appraise\(\)](#), [gb_compare\(\)](#), [gb_economic_case\(\)](#), [gb_place_based\(\)](#), [gb_progression\(\)](#), [gb_risk_register\(\)](#), [gb_validate\(\)](#)

Examples

```
costs <- c(100, 50, 50, 0, 0, 0, 0, 0, 0, 0)
benefits <- c(0, 0, 0, 30, 30, 30, 30, 30, 30, 30)
gb_sensitivity_ob(costs, benefits, ob = "non_standard_buildings")
```

gb_stpr

Social Time Preference Rate

Description

Returns the HM Treasury Green Book Social Time Preference Rate (STPR) for a vector of years from a base year. The schedule is kinked: the rate steps down at 30, 75, 125, 200, and 300 years. Three variants are supported.

Usage

```
gb_stpr(years, schedule = "standard")
```

Arguments

years	Integer vector of years from the base year (year 0 is the base year). Must be non-negative.
schedule	One of "standard" (default, 3.5 percent baseline), "health" (1.5 percent baseline, used in DHSC supplementary guidance), or "catastrophic" (3.0 percent, for projects where catastrophic risk dominates).

Details

The STPR is composed of pure time preference plus a wealth-effect adjustment for expected per-capita consumption growth. The kink reflects increasing uncertainty over the constituent parameters at longer horizons.

Value

A numeric vector of discount rates (decimals, e.g. 0.035 for 3.5 percent), one per element of years.

References

HM Treasury (2022). The Green Book: Central Government Guidance on Appraisal and Evaluation, Annex A6.

HM Treasury (2003). Green Book Supplementary Guidance: Discounting.

See Also

[gb_discount_factor\(\)](#), [gb_discount\(\)](#), [gb_npv\(\)](#).

Other discounting: [gb_discount\(\)](#), [gb_discount_factor\(\)](#), [gb_eanc\(\)](#), [gb_npv\(\)](#)

Examples

```
gb_stpr(0:5)
gb_stpr(c(10, 30, 31, 75, 76))
gb_stpr(c(10, 30, 31, 75, 76), schedule = "health")
```

gb_to_excel

Export an appraisal to Excel

Description

Writes a multi-sheet workbook: summary, cashflow, present values, provenance.

Usage

```
gb_to_excel(appraisal, file)
```

Arguments

appraisal A gb_appraisal object.
 file Output file path (must end in .xlsx).

Details

Requires the openxlsx package (in Suggests). Install with `install.packages("openxlsx")` if not present.

Value

Invisibly, the file path.

See Also

[gb_to_latex\(\)](#), [gb_to_word\(\)](#).

Other reporting: [gb_cost_per_unit\(\)](#), [gb_headline\(\)](#), [gb_to_latex\(\)](#), [gb_to_word\(\)](#)

Examples

```
if (requireNamespace("openxlsx", quietly = TRUE)) {
  app <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 30, 30, 30, 30))
  tmp <- tempfile(fileext = ".xlsx")
  gb_to_excel(app, tmp)
}
```

gb_to_latex

Render an appraisal as a LaTeX table

Description

Render an appraisal as a LaTeX table

Usage

```
gb_to_latex(appraisal, caption = NULL, label = NULL)
```

Arguments

appraisal A gb_appraisal object.
 caption Optional table caption.
 label Optional LaTeX label for cross-referencing.

Value

A character scalar containing a LaTeX tabular environment. Wrap in `\\begin{table}...\\end{table}` for a floating table.

See Also

[gb_to_excel\(\)](#).

Other reporting: [gb_cost_per_unit\(\)](#), [gb_headline\(\)](#), [gb_to_excel\(\)](#), [gb_to_word\(\)](#)

Examples

```
app <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 30, 30, 30, 30))
cat(gb_to_latex(app, caption = "Worked example"))
```

gb_to_word

Export an appraisal to Word

Description

Writes a one-page Word document with the appraisal headline and cashflow table.

Usage

```
gb_to_word(appraisal, file)
```

Arguments

appraisal	A <code>gb_appraisal</code> object.
file	Output file path (must end in <code>.docx</code>).

Details

Requires the `officer` and `flextable` packages (both in `Suggests`).

Value

Invisibly, the file path.

See Also

[gb_to_latex\(\)](#), [gb_to_excel\(\)](#).

Other reporting: [gb_cost_per_unit\(\)](#), [gb_headline\(\)](#), [gb_to_excel\(\)](#), [gb_to_latex\(\)](#)

Examples

```
if (requireNamespace("officer", quietly = TRUE) &&
    requireNamespace("flextable", quietly = TRUE)) {
  app <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 30, 30, 30, 30))
  tmp <- tempfile(fileext = ".docx")
  gb_to_word(app, tmp)
}
```

`gb_validate`*Lint a Green Book appraisal for common errors*

Description

Inspects a `gb_appraisal` for sign-convention errors, base-year alignment, schedule plausibility, and other common authoring mistakes. Returns a structured report classifying each check as pass, warning, or error.

Usage

```
gb_validate(appraisal)
```

Arguments

`appraisal` A `gb_appraisal` object.

Details

Checks performed:

- Cashflow length matches years length
- Schedule is one of the valid options
- Base year is plausible (1900 to 2100)
- Vintage matches a recognised Green Book edition
- If costs and benefits are present (from `gb_appraise()`), costs are non-negative and benefits are non-negative
- NPV is finite (no NaN / Inf)
- PV costs and PV benefits are consistent with NPV

Warnings flag suspicious patterns: missing base year, unusual optimism bias values, METB outside 0 to 50 percent, very long horizons (> 100 years).

Value

A `gb_validation` object with elements `pass`, `errors`, `warnings`, `info`, and `n_checks`.

See Also

[gb_appraise\(\)](#).

Other appraisal: [gb_appraise\(\)](#), [gb_compare\(\)](#), [gb_economic_case\(\)](#), [gb_place_based\(\)](#), [gb_progression\(\)](#), [gb_risk_register\(\)](#), [gb_sensitivity_ob\(\)](#)

Examples

```
app <- gb_appraise(c(100, 0, 0, 0, 0), c(0, 30, 30, 30, 30))
gb_validate(app)
```

gb_vpf	<i>Value of Preventing a Fatality</i>
--------	---------------------------------------

Description

Returns the DfT TAG-published Value of Preventing a Fatality (VPF) in real terms for a given year. The published 2024 value is GBP 2.153 million; the historical 2018 value (DfT TAG) is GBP 1.958 million. Years between bundled publication dates are filled by an annual real uplift of approximately 2 percent (proxy for real GDP per head growth).

Usage

```
gb_vpf(year = 2024, series = "central")
```

Arguments

year	Integer scalar. The year in which the value is expressed. Default 2024 (the most recent DfT-published value).
series	Character. "central" (default). Reserved for future expansion (DfT cancer / aversion multipliers).

Value

Numeric scalar: the VPF in GBP at year year prices.

References

Department for Transport. Transport Analysis Guidance (TAG) data book.

See Also

[gb_wellby\(\)](#), [gb_qaly\(\)](#).

Other valuation: [gb_qaly\(\)](#), [gb_wellby\(\)](#)

Examples

```
gb_vpf()  
gb_vpf(2018)
```

gb_wellby

*Wellbeing valuation in GBP (WELLBY)***Description**

Monetises a life-satisfaction change as Well-being Adjusted Life Years (WELLBYs) per HMT Wellbeing Guidance for Appraisal (July 2021). One WELLBY equals a one-point change in life satisfaction on a 0 to 10 scale, for one person, for one year. The central published unit value is GBP 13,000 in 2019 prices, with a low-high sensitivity of GBP 10,000 to GBP 16,000.

Usage

```
gb_wellby(
  life_satisfaction_change,
  persons,
  years = 1,
  base_year = NULL,
  scenario = "central"
)
```

Arguments

life_satisfaction_change	Numeric scalar or vector. Change in life satisfaction on the 0 to 10 scale (signed; can be positive or negative).
persons	Number of people experiencing the change.
years	Duration in years. Default 1.
base_year	Optional integer base year to express the monetary value in. If NULL (default), the published 2019 price is returned. Otherwise the value is uplifted via <code>gb_deflator()</code> to base_year prices.
scenario	One of "low", "central" (default), "high".

Value

A numeric scalar or vector: the WELLBY value in GBP at the requested base year.

References

HM Treasury (2021). Wellbeing Guidance for Appraisal: Supplementary Green Book Guidance.

See Also

[gb_vpf\(\)](#), [gb_qaly\(\)](#).

Other valuation: [gb_qaly\(\)](#), [gb_vpf\(\)](#)

Examples

```
# 1-point lift in life satisfaction for 100 people for 5 years
gb_wellby(1, persons = 100, years = 5)
gb_wellby(1, persons = 100, years = 5, scenario = "low")
# Express in 2024 prices
gb_wellby(1, persons = 100, years = 5, base_year = 2024)
```

Index

- * **adjustments**
 - gb_metb, 18
- * **appraisal**
 - gb_appraise, 3
 - gb_compare, 8
 - gb_economic_case, 16
 - gb_place_based, 21
 - gb_progression, 22
 - gb_risk_register, 26
 - gb_sensitivity_ob, 27
 - gb_validate, 32
- * **carbon**
 - gb_carbon_npv, 5
 - gb_carbon_value, 6
- * **deflator**
 - gb_deflator, 10
 - gb_real, 24
 - gb_rebase, 25
- * **discounting**
 - gb_discount, 11
 - gb_discount_factor, 12
 - gb_eanc, 15
 - gb_npv, 19
 - gb_stpr, 28
- * **distributional**
 - gb_dist_weight, 13
 - gb_dist_weighted_npv, 14
- * **lookups**
 - gb_data_versions, 9
 - gb_schedule_table, 27
- * **optimism bias**
 - gb_apply_ob, 2
 - gb_categories, 7
 - gb_optimism_bias, 20
- * **reporting**
 - gb_cost_per_unit, 9
 - gb_headline, 17
 - gb_to_excel, 29
 - gb_to_latex, 30
 - gb_to_word, 31
- * **valuation**
 - gb_qaly, 23
 - gb_vpf, 33
 - gb_wellby, 34
- gb_apply_ob, 2, 7, 20
- gb_apply_ob(), 20, 28
- gb_appraise, 3, 8, 17, 21, 22, 26, 28, 32
- gb_appraise(), 3, 8, 9, 15, 17–22, 26, 28, 32
- gb_carbon_npv, 5, 7
- gb_carbon_npv(), 7, 19
- gb_carbon_value, 6, 6
- gb_carbon_value(), 6
- gb_categories, 3, 7, 20
- gb_categories(), 20
- gb_compare, 4, 8, 17, 21, 22, 26, 28, 32
- gb_compare(), 17, 21
- gb_cost_per_unit, 9, 17, 30, 31
- gb_data_versions, 9, 27
- gb_data_versions(), 27
- gb_deflator, 10, 24, 25
- gb_deflator(), 24, 25
- gb_discount, 11, 12, 15, 19, 29
- gb_discount(), 29
- gb_discount_factor, 11, 12, 15, 19, 29
- gb_discount_factor(), 11, 29
- gb_dist_weight, 13, 15
- gb_dist_weight(), 15
- gb_dist_weighted_npv, 13, 14
- gb_dist_weighted_npv(), 4, 13, 19
- gb_eanc, 11, 12, 15, 19, 29
- gb_eanc(), 12, 19
- gb_economic_case, 4, 8, 16, 21, 22, 26, 28, 32
- gb_economic_case(), 8
- gb_headline, 9, 17, 30, 31
- gb_metb, 18
- gb_metb(), 4
- gb_npv, 11, 12, 15, 19, 29
- gb_npv(), 4, 6, 11, 12, 15, 29

gb_optimism_bias, 3, 7, 20
gb_optimism_bias(), 3, 4, 7
gb_place_based, 4, 8, 17, 21, 22, 26, 28, 32
gb_progression, 4, 8, 17, 21, 22, 26, 28, 32
gb_qaly, 23, 33, 34
gb_qaly(), 33, 34
gb_real, 10, 24, 25
gb_real(), 10, 25
gb_rebase, 10, 24, 25
gb_rebase(), 10, 24
gb_risk_register, 4, 8, 17, 21, 22, 26, 28, 32
gb_schedule_table, 10, 27
gb_schedule_table(), 10
gb_sensitivity_ob, 4, 8, 17, 21, 22, 26, 27,
32
gb_stpr, 11, 12, 15, 19, 28
gb_stpr(), 12, 27
gb_to_excel, 9, 17, 29, 31
gb_to_excel(), 17, 31
gb_to_latex, 9, 17, 30, 30, 31
gb_to_latex(), 17, 30, 31
gb_to_word, 9, 17, 30, 31, 31
gb_to_word(), 30
gb_validate, 4, 8, 17, 21, 22, 26, 28, 32
gb_vpf, 23, 33, 34
gb_vpf(), 23, 34
gb_wellby, 23, 33, 34
gb_wellby(), 23, 33